

OS
Browser UserAgent : Mozilla/5.0 (Linux; U; Android 2.3.6; en-us; LG-MS840 Build/GRK39F) AppleWebKit/533.1 (KHTML, like Gecko) Version/4.0 Mobile Safari/533.1

Android ID : 5ce06e7c1a291418

Uptime : 0 days, 0 hours, 10 minutes, 39 seconds

Uptime (without sleeps) : 0 days, 0 hours, 10 minutes, 39 seconds

Configuration
Font Scale : 1.0
Hard Keyboard Hidden : YES
Keyboard : NOKEYS
Keyboard Hidden : NO
Locale : en_US
MCC : 0
MNC : 0
Navigation : NONAV
Navigation hidden : NO
Orientation : PORTRAIT
Screen Layout :
LONG_YES
SIZE_NORMAL
Touchscreen : FINGER
UI Mode :
NIGHT_NO
TYPE_NORMAL

BuildInfos
Android version : 2.3.6
Release Codename : REL
API LEVEL : 10
CPU ABI : armeabi-v7a
Manufacturer : LGE
Bootloader : unknown
CPU ABI2 : armeabi
Hardware : qcom
Radio : unknown
Board : lge_cayman
Brand : lge
Device : cayman
Display : GRK39F
Fingerprint : lge/cayman_mpcs_us/cayman:2.3.6/GRK39F/MS840VV3.48025003:user/release-keys
Host : LGEARND1B3
ID : GRK39F
Model : LG-MS840
Product : cayman_mpcs_us
Tags : release-keys
Type : user
User : killiard.kim

Battery
Charging in progress...
Level : 99 %
Technology : Li-ion
Temperature : 40.0 ± 2°C (104.0± 2°F)
Voltage : 4178 mV

Memory
Download Cache Max: 310MB/ **Free**: 277MB
data Max: 1.97GB/ **Free**: 1.59GB
External storage: mounted
External storage Max: 25.38GB/ **Free**: 7.81GB
External storage removable: true
Total RAM: 805MB
Free RAM: 361MB
Threshold RAM: 48.00MB

Low Memory Killer Levels
FOREGROUND APP: 8.00MB
VISIBLE APP: 12.00MB
SECONDARY SERVER: 16.00MB
HIDDEN APP: 48.00MB
CONTENT PROVIDER: 72.00MB
EMPTY APP: 96.00MB

Telephony
Data Activity: DATA_ACTIVITY_NONE
Data State: DATA_DISCONNECTED
IMEI(or MEID): 99000073172652
IMEI/SoftVer: 0
MSISDN: 7703616498
Registered MCC: us
Registered MCC MNC: 311660
Registered Operator Name: MetroPCS
Network Type: NETWORK_TYPE_LTE
Phone Type: PHONE_TYPE_CDMA
SIM Country Code: us
SIM MCC MNC: 311660
SIM Operator Name: Searching for Service
SIM Serial Number: 89311660120010154062
SIM State: SIM_STATE_READY
Subscriber ID(IMS): 3116606782096894
VoiceMail number: 7703616498
Roaming: false
Base Station ID: 472
Base Station Latitude: 2147483647
Base Station Longitude: 2147483647
Network ID: 1
System ID: 4273
No Cell detected

Networks
Background Data Usage: true

type mobile[LTE]
state DISCONNECTED/DISCONNECTED
reason dataNetworkDetached
extra (none)

roaming false
failover false
isAvailable true
isIpv4Connected false
isIpv6Connected false
ipv4Name null
ipv6Name null

type WIFI
state CONNECTED/CONNECTED
reason (unspecified)
extra (none)
roaming false
failover false
isAvailable true
isIpv4Connected true
isIpv6Connected true
ipv4Name wlan0
ipv6Name wlan0

type mobile_mms[LTE]
state UNKNOWN/IDLE
reason (unspecified)
extra (none)
roaming false
failover false
isAvailable true
isIpv4Connected false
isIpv6Connected false
ipv4Name null
ipv6Name null

type mobile_supl[LTE]
state UNKNOWN/IDLE
reason (unspecified)
extra (none)
roaming false
failover false
isAvailable true
isIpv4Connected false
isIpv6Connected false
ipv4Name null
ipv6Name null

type mobile_dun[LTE]
state UNKNOWN/IDLE
reason (unspecified)
extra (none)
roaming false
failover false
isAvailable true
isIpv4Connected false
isIpv6Connected false
ipv4Name null
ipv6Name null

type mobile_hipri[LTE]
state UNKNOWN/IDLE
reason (unspecified)
extra (none)
roaming false
failover false
isAvailable true
isIpv4Connected false
isIpv6Connected false
ipv4Name null
ipv6Name null

type mobile_ims[LTE]
state DISCONNECTED/DISCONNECTED
reason radioTechnologyChanged
extra (none)
roaming false
failover false
isAvailable true
isIpv4Connected false
isIpv6Connected false
ipv4Name null
ipv6Name null

type mobile_admin[LTE]
state UNKNOWN/IDLE
reason (unspecified)
extra (none)
roaming false
failover false
isAvailable true
isIpv4Connected false
isIpv6Connected false
ipv4Name null
ipv6Name null

type mobile_vzwapp[LTE]
state UNKNOWN/IDLE
reason (unspecified)
extra (none)
roaming false
failover false
isAvailable true
isIpv4Connected false
isIpv6Connected false
ipv4Name null
ipv6Name null

Wifi
State: WIFI_STATE_ENABLED

Current access point: SSID: 2WIRE833, BSSID: b8:e6:25:37:a2:f1, MAC: F8:0C:F3:DB:C0:D2, Supplicant state: COMPLETED, RSSI: -54, Link speed: 54, Net ID: 0

DHCP info: ipaddr 192.168.1.77 gateway 192.168.1.254 netmask 255.255.255.0 dns1 192.168.1.254 dns2 0.0.0.0 DHCP server 192.168.1.254 lease 86400 seconds

Last Scan:

0 SSID: 2WIRE833, BSSID: b8:e6:25:37:a2:f1, capabilities: [WPA-PSK-TKIP+CCMP][WPA2-PSK-TKIP+CCMP], level: -51, frequency: 2442

1 SSID: NETGEAR, BSSID: 00:24:b2:1b:79:06, capabilities: [WPA2-PSK-CCMP-preauth], level: -93, frequency: 2462

Configured Networks:

0 * ID: 0 SSID: "2WIRE833" BSSID: null PRIO: 1 KeyMgmt: WPA_PSK Protocols: WPA RSN AuthAlgorithms: PairwiseCiphers: TKIP CCMP GroupCiphers: WEP40 WEP104 TKIP CCMP PSK:
* eap: phase2: identity: anonymous_identity: password: client_cert: private_key: ca_cert:

CPU

Processor ARMv7 Processor rev 2 (v7l)

processor 0

BogoMIPS 13.52

processor 1

BogoMIPS 13.52

Features swp half thumb fastmult vfp edsp neon vfpv3

CPU implementer 0x51

CPU architecture 7

CPU variant 0x0

CPU part 0x02d

CPU revision 2

Hardware QCT MSM8X60 CHARM FFA

Revision 0000

Serial 0000000000000000

Frequency range: 192.0 -> 1188.0MHz

Current Frequency: 1080.0MHz

Frequency Stats (time):

- 192.0 MHz 0.0% (0)
- 384.0 MHz 19.94% (12727)
- 432.0 MHz 1.58% (1008)
- 486.0 MHz 1.51% (961)
- 540.0 MHz 1.27% (813)
- 594.0 MHz 1.47% (939)
- 648.0 MHz 1.14% (730)
- 702.0 MHz 1.07% (680)
- 756.0 MHz 1.21% (773)
- 810.0 MHz 0.98% (623)
- 864.0 MHz 0.87% (557)
- 918.0 MHz 1.0% (639)
- 972.0 MHz 1.27% (812)
- 1026.0 MHz 0.99% (634)
- 1080.0 MHz 3.32% (2119)
- 1134.0 MHz 1.31% (837)
- 1188.0 MHz 61.06% (38974)

Camera

As retrieving camera infos can give the impression that it is taking picture on some device, it is not enabled by default. If you wish to, go in settings menu.

Screen

Resolution: 480 x 800

Refresh Rate: 62.0

X factor for DPI: 1.5

Density: 240 dpi

Pixel per inch X: 320.8421 dpi Y: 317.5 dpi

OpenGL

As retrieving opengl infos can crash some device, it is not enabled by default. If you wish to, go in settings menu.

Sensors

LGE Accelerometer Sensor: 0.22 mA by STMicroelectronics

LGE Magnetic Sensor: 0.25 mA by Aichi Steel Corporation

LGE Gyroscope Sensor: 0.0 mA by STMicroelectronics

LGE Proximity Sensor: 0.5 mA by Avago Technologies

LGE Ambient Light Sensor: 20.0 mA by Avago Technology

LGE Orientation Sensor: 6.57 mA by LG Electronics Inc.

LGE Gravity Sensor: 6.57 mA by LG Electronics Inc.

LGE Linear Acceleration Sensor: 6.57 mA by LG Electronics Inc.

LGE Rotation Vector Sensor: 6.57 mA by LG Electronics Inc.

LGE Gesture Tap Sensor: 20.0 mA by LG Electronics Inc.

LGE Gesture Flip Sensor: 20.0 mA by LG Electronics Inc.

Environment

Root Directory: /system

Data Directory: /data

Download Cache Directory: /cache

External Storage State: mounted

External Storage Directory: /mnt/sdcard

Medias Directories

Alarms: /mnt/sdcard/Alarms

DCIM: /mnt/sdcard/DCIM

Downloads: /mnt/sdcard/Download

Movies: /mnt/sdcard/Movies

Music: /mnt/sdcard/Music

Notifications: /mnt/sdcard/Notifications

Pictures: /mnt/sdcard/Pictures

Podcasts: /mnt/sdcard/Podcasts

Ringtones: /mnt/sdcard/Ringtones

Features

android.hardware.wifi

android.hardware.location.network

android.hardware.telephony

android.hardware.location

android.hardware.sensor.gyroscope

android.hardware.touchscreen.multitouch

android.hardware.sensor.compass

android.hardware.camera

android.hardware.touchscreen.multitouch.distinct

android.hardware.bluetooth

android.hardware.sensor.proximity

android.hardware.sensor.light

android.hardware.microphone

android.hardware.location.gps

android.hardware.camera.autofocus

android.hardware.camera.front

android.hardware.telephony.cdma

android.software.live_wallpaper

android.hardware.touchscreen

android.hardware.sensor.accelerometer

android.hardware.camera.flash
glEsVers=2.0

JavaProperties
java.vendor.url: http://www.android.com/
java.class.path: .
java.class.version: 46.0
os.version: 2.6.35.11-perf
java.vendor: The Android Project
user.dir: /
user.timezone: null
path.separator: :
os.name: Linux
os.arch: armv7l
line.separator:
file.separator: /
user.name:
java.version: 0
java.home: /system

Mount points
MountPoint
Name Type Options

```
- /  
rootfs rootfs ro,relatime  
  
- /dev  
tmpfs tmpfs rw,relatime,mode=755  
  
- /dev/pts  
devpts devpts rw,relatime,mode=600  
  
- /proc  
proc proc rw,relatime  
  
- /sys  
sysfs sysfs rw,relatime  
  
- /acct  
none cgroup rw,relatime,cpuacct  
  
- /mnt/asec  
tmpfs tmpfs rw,relatime,mode=755,gid=1000  
  
- /mnt/obb  
tmpfs tmpfs rw,relatime,mode=755,gid=1000  
  
- /dev/cpuctl  
none cgroup rw,relatime,cpu  
  
- /system  
/dev/block/mmcblk0p26 ext4 ro,relatime,barrier=0,data=ordered  
  
- /tombstones  
/dev/block/mmcblk0p22 ext4 rw,nosuid,nodev,relatime,barrier=1,data=ordered  
  
- /firmware  
/dev/block/mmcblk0p1 vfat ro,relatime,fmask=0000,dmask=0000,allow_utime=0022,codepage=cp437,icharset=iso8859-1,shortname=lower,errors=remount-ro  
  
- /data  
/dev/block/mmcblk0p28 ext4 rw,nosuid,nodev,noatime,barrier=1,data=ordered,noauto_da_alloc  
  
- /persist  
/dev/block/mmcblk0p12 ext4 rw,nosuid,nodev,relatime,barrier=1,nodelalloc,data=ordered  
  
- /cache  
/dev/block/mmcblk0p27 ext4 rw,nosuid,nodev,noatime,barrier=1,data=ordered  
  
- /mpt  
/dev/block/mmcblk0p29 ext4 rw,nosuid,nodev,relatime,barrier=1,data=ordered  
  
- /mm  
/dev/block/mmcblk0p23 ext4 rw,nosuid,nodev,relatime,barrier=1,data=ordered  
  
- /data/sdext2  
/dev/block/mmcblk1p2 vfat rw,relatime,uid=1000,gid=1000,fmask=0133,dmask=0002,allow_utime=0020,codepage=cp437,icharset=iso8859-1,shortname=mixed,errors=remount-ro  
  
- /system/etc/firmware/misc_mdm  
/dev/block/mmcblk0p14 vfat ro,relatime,fmask=0000,dmask=0000,allow_utime=0022,codepage=cp437,icharset=iso8859-1,shortname=lower,errors=remount-ro  
  
- /mnt/sdcard  
/dev/block/vold/179:33 vfat  
rw,dirsync,nosuid,nodev,noexec,relatime,uid=1000,gid=1015,fmask=0002,dmask=0002,allow_utime=0020,codepage=cp437,icharset=iso8859-1,shortname=mixed,utf8,errors=remount-ro  
  
- /mnt/secure/asec  
/dev/block/vold/179:33 vfat  
rw,dirsync,nosuid,nodev,noexec,relatime,uid=1000,gid=1015,fmask=0002,dmask=0002,allow_utime=0020,codepage=cp437,icharset=iso8859-1,shortname=mixed,utf8,errors=remount-ro  
  
- /mnt/sdcard/.android_secure  
tmpfs tmpfs ro,relatime,size=0k,mode=000
```